

Clayton Tools

Vacuum, Grinder, and Accessories



Vacuum and Accessories

Warthog HEPA Vacuums

Available in both electric and pneumatic models, Clayton HEPA vacuums are an ideal solution for dustless sanding, dust extraction, and general cleanup. They are designed for the removal of Hexavalent Chromium (Cr VI), paints containing lead or chromates, aluminum dust, carbon fiber, ceramic dust, fiberglass and mold. These units are extremely portable, lightweight and feature extra heavy duty components that ensure long life and extreme durability for extreme environments.



Part Number	Image	Description	Qty
HCS2035-VAC-01	1	WARTHOG VACUUM, 5 GAL, PNEUMATIC, HEPA	1
HCS2035-VAC-02	2	WARTHOG VACUUM, 15 GAL, PNEUMATIC, HEPA	1
HCS2035-VAC-03	3	WARTHOG VACUUM, 5 GAL, ELECTRIC, HEPA	1
HCS2035-VAC-04	4	WARTHOG VACUUM, 15 GAL, ELECTRIC, HEPA	1
HCS2035-ACC-01		ADAPTER HOSE, 1" HOSE TO 1.5" SLEEVE, 5 ft.	1
HCS2035-ACC-02		CLEANUP HOSE, VACUUM, 1.5" X 10 ft, NO COMPRESSED AIR LINE	1
HCS2035-ACC-03		SAFE FILTER CHANGE HOSE, 3FT, WARTHOG VACUUMS	1
HCS2035-ACC-04		COMPRESSED AIR LINE, 1/2" X 20 FT, WITH FITTINGS, 200 PSI MAX	1
HCS2035-FLT-01		HEPA FILTER FOR WH-105 / WH-115, WARTHOG VACUUMS	1
HCS2035-FLT-02		PREFILTER, WARTHOG VACUUMS, PROLONGS HEPA FILTER LIFE	3
HCS2035-FLT-03		FILTER BAG, 15 GAL, DISPOSABLE, WARTHOG VACUUM	5
HCS2035-FLT-04		FILTER BAG, DISPOSABLE, DM & 5 GAL WARTHOG	5

Grinder Kits and Accessories

Surface Prep Grinder & Shroud Kits
 Dotco Right Angle Grinders are suitable for a wide range of finishing applications. The small, lightweight, and comfortable design has moving parts to keep vibration to a minimum while maintaining the durability, dependability, and versatility of the grinder. Combined with other accessories, operators can focus on doing the best job possible in the least amount of time. Available in 2" or 3" versions, each kit includes, 1 Clear Revolution Shroud, 2 feet of 1" vacuum hose, swivel fittings to connect to your vacuum system, and an assortment of abrasives. All packed in a deep bin professional organizer.

Kits are available for purchase with or without grinders. See part numbers listed.

Surface Prep Shroud Kits
 If you have a grinder, then try the Clayton Surface Prep Shroud Kits. They include everything in the Grinder Kit except the grinder.



Surface Prep Grinder & Shroud Kit
 Case Dimension: 19" x 15" x 4 1/2"



Grinder with Shroud

Kits with Grinder		
Part Number	Description	Qty
HCS2035-05-TR	SURFACE PREP DOTCO RIGHT ANGLE GRINDER & SHROUD KIT, 2", TR Style	1
HCS2035-05-TS	SURFACE PREP DOTCO RIGHT ANGLE GRINDER & SHROUD KIT, 2", TS Style	1
HCS2035-06-TR	SURFACE PREP DOTCO RIGHT ANGLE GRINDER & SHROUD KIT, 3", TR Style	1
HCS2035-06-TS	SURFACE PREP DOTCO RIGHT ANGLE GRINDER & SHROUD KIT, 3", TS Style	1



2" Right Angle Shroud



3" Right Angle Shroud

Kits without Grinder		
Part Number	Description	Qty
HCS2035-07-TR	SURFACE PREP SHROUD KIT, 2", TR Style	1
HCS2035-07-TS	SURFACE PREP SHROUD KIT, 2", TS Style	1
HCS2035-08-TR	SURFACE PREP SHROUD KIT, 3", TR Style	1
HCS2035-08-TS	SURFACE PREP SHROUD KIT, 3", TS Style	1

Abrasives Included in Kits		
Grit	Abrasive Type	Qty
36	QUICK CHANGE - RESIN BOND	25
60	QUICK CHANGE - RESIN BOND	25
80	QUICK CHANGE - RESIN BOND	25
120	QUICK CHANGE - RESIN BOND	25
COARSE	QUICK CHANGE - NON WOVEN	25
MEDIUM	QUICK CHANGE - NON WOVEN	25
FINE	QUICK CHANGE - NON WOVEN	25



Resin Bond



Non Woven

Additional Dust Control Accessories

Customize your Surface Prep Kits with additional dust control attachments.

Clear Revolution Shrouds

The Clear Revolution Shrouds come in three sizes. They are made of crystal clear Lexan and does not obscure the working edges of the abrasive discs, so users can easily see the work surface. The Edge Finishing Shroud has a skirt that surrounds the abrasive to physically contain the debris and effectively capture particles.

Radial Shrouds

The Radial Shroud fits ANY tool with a 1/4" collet and accepts up to four bristle discs with 3/8" center hole. This shroud does not obscure visibility and swivels freely around shaft, so the hose can be repositioned with ease.

Belt Sander Shroud

The Belt Sander Shroud has precision finished anodized aluminum housing with a 6" arm that accepts 1/2" x 12" belts. The shroud swivels on the tool with sander belt and does not obscure the working edges of the abrasive belt. It is best complemented with a 12K RPM 6" x 1/2" Dotco belt sander (sold separately).



Part Number	Description	Qty
HCS2035-09-TR	CLEAR REVOLUTION SHROUD, 1 INCH, RIGHT ANGLE, TR STYLE	1
HCS2035-09-TS	CLEAR REVOLUTION SHROUD, 1 INCH, RIGHT ANGLE, TS STYLE	1
HCS2035-10-TR	CLEAR REVOLUTION SHROUD, 2 INCH, RIGHT ANGLE, TR STYLE	1
HCS2035-10-TS	CLEAR REVOLUTION SHROUD, 2 INCH, RIGHT ANGLE, TS STYLE	1
HCS2035-11-TR	CLEAR REVOLUTION SHROUD, 3 INCH, RIGHT ANGLE, TR STYLE	1
HCS2035-11-TS	CLEAR REVOLUTION SHROUD, 3 INCH, RIGHT ANGLE, TS STYLE	1
HCS2035-12	RADIAL SHROUD, 3", NARROW, FOR 1 OR 2 ROW BRISTLE DISCS OR CUTOFF WHEEL	1
HCS2035-13-TR	CLEAR REVOLUTION EDGE DEBURRING & FINISHING SHROUD, TR STYLE	1
HCS2035-14	6" ARM BELT SANDER SHROUD ASSY, 2FT x 1" SWIVEL VACUUM HOSE ADAPTER	1
HCS2035-15	DOTCO BELT SANDER, 12K RPM, 6" x 1/2" WITH 1 BELT SANDER SHROUD	1

DISCLAIMER:

THE INFORMATION CONTAINED IN THIS CATALOG IS INTENDED TO ASSIST YOU WITH HEATCON® PRODUCTS. IT IS NOT INTENDED TO AND DOES NOT CREATE ANY WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR APPLICATION.

HEATCON COMPOSITE SYSTEMS® RESERVES THE RIGHT TO MAKE CHANGES TO THIS MATERIAL, DATA SHEETS, OR OTHER INFORMATION IN THIS CATALOG, AT ANY TIME WITHOUT NOTICE.

